

The Water Stain Doctor™ – Drawing Paste MSDS

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT SOURCE AND IDENTITY

Supplier identity and address	Product description: Date: October 2018
The Water Stain Doctor™ Ltd PO Box 2321, Frankton Mail Centre. Queenstown New Zealand , www.thewaterstaindoctor.com.au	Name: FULL IP Glass Restore Drawing Paste – For removal of hard water deposits, mineral scale and adverse stain Glass- Gel Coat – Fibre Glass Surfaces
Product ORDERS: +6434217788	Product information: +64 21799922

SECTION 2 - SHIPPING CLASSIFICATION

Proper Shipping Name, Hazard Class, UN/NA Number Packing Group, Emergency Response Guide Number

Not Regulated. NON DANGEROUS GOODS – No DG certification required

Labels required per 49 CFR 172.101: None

Qualifies for "Limited quantity" per 49 CFR 173.150-.155: Not applicable

Reportable Quantity ("RQ") per 49 CFR 172.101: None or not possible in one non-bulk package

SECTION 3- SAFETY RATINGS AND HAZARDOUS INGREDIENT INFORMATION

Reporting required by Title III Sec 313, 40 CFR 372, 29 CFR 1910.1200 EXPOSURE LIMIT VALUES CAS# 313
Material or Component % RQ# TWA STEL

64742-47-8 No Petroleum distillate <20 None 100 ppm (PEL) 1336-21-6 Yes Ammonium hydroxide <1 1000 25
ppm 35 ppm 61790-53-2 No Silica amorphous -Diatomaceous earth None 10 ppm or 3 mg/m3 <30

No component is listed in "THRESHOLD LIMIT VALUES AND BIOLOGICAL EXPOSURE INDICES FOR 2004" from ACGIH except as noted above. Components listed in TITLE III SEC 313 (EPCRA) are indicated by "Yes" above.

Criteria: Constituents qualifying as hazardous materials, substances or waste, other than above, if any, have been neutralized or denatured to a non hazardous condition. Regulations referenced: Health & Safety Code Ch 6.95 Sec 25501(k) & (l), CCR Title 22, Sec 66261.21- .24, and Appendix X of 22 CCR Chapter 11, Article 4.

Emergency overview: Non scratching abrasive cleaner with solvent. Keep out of eyes. Avoid extended skin contact. Do not breathe dust or vapors. Keep lid on container when not in use.

Hazard Categories:	Health	Fire	Pressure	Reactivity	Reference 49 CFR 171.8, OSHA 29 CFR 1910.1200 and SARA 302/311/312/313.
Immediate	No	No	No	No	
Delayed	No	XXX	XXX	XXX	

HMIS Hazard ratings: Health 1 Fire 0 Instability 0 Other B (Glasses, gloves)

NFPA 704 Hazard Ratings: Health 1 Flammability 0 Reactivity 0 Special NA

Hazard Ratings: Least: 0 Slight: 1 Moderate: 2 High: 3 Extreme: 4

Threshold limit value: Not established on product.

TOSCA Status: All ingredients listed

CERCLA RQ: See Sec 2.

Prop. 65: None

SECTION 4 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Viscous earthy brown liquid	Flash point deg. F (cc): None
Odor: Slight ammonia, Slight English walnut oil	Initial boiling point deg. C: ND
Specific gravity: >1	Vapor pressure 20 deg C: ND
pH reaction: 8-9	Freezing point deg. C: ND
% phosphorous: None	Solubility in water: 100%

VOC Content: 200 g/l approx

California Rule 102 (66): Contains no photo chemically active materials.

Reproductive implications: None

Ingredients on cancer lists: None

The Water Stain Doctor Ltd – Drawing Paste MSDS

IP - Protected and no legal copy

SECTION 5 - SAFE HANDLING AND STORAGE	
General	Abrasive solvent cleaner. Store in a cool place. Keep out of eyes and off of skin.
Use standard industrial good practices. Wipe up spills and overspray immediately. Wash overspray off brick work and pain work with warm to hot soapy water. This paste can stain if left for some days	
Protective equipment	
Eyes	Safety glasses or goggles should be worn if there is possibility of eye contact.
Skin	Impermeable gloves such as rubber, PVC or neoprene are recommended.
Respiratory protection	None normally required. If risk of inhalation occurs, select and
Ventilation	A well ventilated work environment is recommended.
Other	Keep lid on containers.
SECTION 6- HEALTH SAFETY DATA	
Effects of chronic over exposure	

MATERIAL SAFETY DATA SHEET	
SECTION 1 - PRODUCT SOURCE AND IDENTITY	
Supplier identity and address	Product description: Date: October 2018
The Water Stain Doctor™ Ltd	Name: FULL IP Glass Restorer - Drawing Paste
SECTION 7 - PHYSICAL STABILITY AND REACTIVITY DATA	

Explosive limits		Flash point: See Sec 4
Upper	ND	Conditions to avoid: Exposure to heat and evaporation.
Lower	ND	
Chemical stability	Stable	Hazardous decomposition products: None known
Hazardous polymerization	Cannot occur	Incompatibility: Oxidation chemicals like peroxides, etc.
SECTION 8- EMERGENCY RESPONSE PROCEDURES		
Fire	Extinguishing media	Use materials appropriate to the main source of the fire.
	Special procedures	None.
First Aid	Unusual hazards	None
	Eyes	Flush with water for at least 15 min. Seek medical attention if appropriate.
	Skin	Wash exposed skin with soap and water until gone. Remove affected clothes rinse off product and wash clothes before re-use. Can Stain cloth
	Inhalation	If affected, remove individual to fresh air, get medical attention at once if there is any discomfort. Always wear personal respirator in confined spaces
	Ingestion	Dilute by giving large amounts of milk or water. Get medical attention immediately. Do not induce vomiting.
Spills	Small / large spill	Small amounts may be flushed to drain. Comply with federal, state and local regulations on reporting spills. Floors may be slippery. Keep out of waterways and storm sewers.

Product as made does not qualify as an "Unlisted Hazardous Waste" for disposal situations.

Information presented herein has been compiled from sources considered to be accurate and reliable, but is not Guaranteed to be so. Since conditions of use are beyond our control we make no warranties, expressed or implied.

Use safety equipment according to OSHA/NIOSH guidelines. Always wear respirator in confined spaces